



CONEJET TIP NO.	LIQUID PRESSURE IN P.S.I.	2-NOZZLES CAPACITY IN G.P.H.	GALLONS PER ACRE — 2 NOZZLES PER ROW —												LIQUID PRESSURE IN P.S.I.	3-NOZZLES CAPACITY IN G.P.H.	GALLONS PER ACRE — 3 NOZZLES PER ROW —																																																																																																																														
			3 M.P.H.		4 M.P.H.		5 M.P.H.		6 M.P.H.		7 M.P.H.		8 M.P.H.				3 M.P.H.		4 M.P.H.		5 M.P.H.		6 M.P.H.		7 M.P.H.		8 M.P.H.																																																																																																																				
			15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING			15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING	15" SPRAY BAND	30" ROW SPACING																																																																																																																			
TX 2 (100 MESH)	40	4.0	8.8	4.4	6.6	3.3	5.3	2.6	4.4	2.2	3.8	1.9	3.2	1.6	40	6.0	13.2	6.6	9.9	5.0	7.9	4.0	6.6	3.3	5.7	2.8	5.0	2.5	45	4.2	9.3	4.6	7.0	3.5	5.6	2.8	4.6	2.3	4.0	2.0	3.5	1.7	45	6.3	13.9	7.0	10.4	5.2	8.3	4.2	7.0	3.5	6.0	3.0	5.2	2.6	50	4.4	9.7	4.9	7.3	3.6	5.8	2.9	4.9	2.4	4.2	2.1	3.6	1.8	50	6.6	14.6	7.3	10.9	5.5	8.7	4.4	7.3	3.6	6.2	3.1	5.5	2.7	55	4.6	10.1	5.1	7.6	3.8	6.1	3.0	5.1	2.5	4.3	2.2	3.8	1.9	55	6.9	15.2	7.6	11.4	5.7	9.1	4.6	7.6	3.8	6.5	3.3	5.7	2.8	60	4.8	10.5	5.3	7.9	3.9	6.3	3.2	5.3	2.6	4.5	2.3	3.9	2.0	60	7.2	15.8	7.9	11.8	5.9	9.5	4.7	7.9	3.9	6.8	3.4	5.9	3.0			
	TX 3 (100 MESH)	40	6.0	13.2	6.6	9.9	5.0	7.9	4.0	6.6	3.3	5.7	2.8	5.0	2.5	40	9.0	19.8	9.9	14.9	7.4	11.5	5.9	9.9	5.0	8.5	4.2	7.4	3.7	45	6.3	13.9	7.0	10.4	5.2	8.3	4.2	7.0	3.5	6.0	3.0	5.2	2.6	45	9.5	21	10.4	15.6	7.8	12.5	6.3	10.4	5.2	8.9	4.5	7.8	3.9	50	6.6	14.6	7.3	10.9	5.5	8.7	4.4	7.3	3.6	6.2	3.1	5.5	2.7	50	9.9	22	10.3	16.4	8.2	13.1	6.6	10.9	5.5	9.4	4.7	8.2	4.1	55	6.9	15.2	7.6	11.4	5.7	9.1	4.6	7.6	3.8	6.5	3.3	5.7	2.8	55	10.3	23	11.4	17.1	8.5	13.7	6.8	11.4	5.7	9.8	4.9	8.5	4.3	60	7.2	15.8	7.9	11.8	5.9	9.5	4.7	7.9	3.9	6.8	3.4	5.9	3.0	60	10.7	24	11.8	17.7	8.9	14.2	7.1	11.8	5.9	10.1	5.1	8.9	4.4		
		TX 4 (50 MESH)	40	8.0	17.6	8.8	13.2	6.6	10.6	5.3	8.8	4.4	7.5	3.8	6.6	3.3	40	12.0	26	13.2	19.8	9.9	15.8	7.9	13.2	6.6	11.3	5.7	9.9	5.0	45	8.4	18.6	9.3	13.9	7.0	11.1	5.6	9.3	4.6	8.0	4.0	7.0	3.5	45	12.7	28	13.9	21	10.5	16.7	9.4	13.9	7.0	11.9	6.0	10.5	5.2	50	8.9	19.5	9.7	14.6	7.3	11.7	5.9	9.7	4.9	8.4	4.2	7.3	3.7	50	13.3	29	14.6	22	11.0	17.5	9.8	14.6	7.3	12.5	6.3	11.0	5.5	55	9.3	20	10.2	15.3	7.6	12.2	6.1	10.2	5.1	8.7	4.4	7.6	3.8	55	13.9	31	15.3	23	11.5	18.3	9.2	15.3	7.6	13.1	6.5	11.5	5.7	60	9.6	21	10.6	15.9	7.9	12.7	6.4	10.6	5.3	9.1	4.5	7.9	4.0	60	14.4	32	15.9	24	11.9	19.1	9.5	15.9	7.9	13.6	6.8	11.9	6.0	
			TX 6 (50 MESH)	40	12.0	26	13.2	19.8	9.9	15.8	7.9	13.2	6.6	11.3	5.7	9.9	5.0	40	18.0	40	19.8	30	14.9	24	11.9	19.8	9.9	17.0	8.5	14.9	7.4	45	12.7	28	14.0	21	10.5	16.7	8.4	14.0	7.0	11.9	6.0	10.5	5.2	45	19.0	42	21	31	15.7	25	12.5	21	10.5	17.9	9.0	15.7	7.8	50	13.3	29	14.6	22	11.0	17.5	8.8	14.6	7.3	12.5	6.3	11.0	5.5	50	19.9	44	22	33	16.4	26	13.2	22	11.0	18.6	9.4	16.4	8.2	55	13.9	31	15.3	23	11.5	18.3	9.2	15.3	7.6	13.1	6.5	11.5	5.7	55	21	46	23	34	17.2	27	13.7	25	11.5	19.6	9.8	17.2	8.6	60	14.4	32	15.9	24	11.9	19.1	9.5	15.9	7.9	13.6	6.8	11.9	6.0	60	22	48	24	36	17.9	29	14.3	24	11.9	20	10.2	17.9	8.9
				TX 8 (50 MESH)	40	16.0	35	17.6	26	13.2	21	10.6	17.6	8.8	15.1	7.5	13.2	6.6	40	24	53	26	40	19.8	32	15.8	25	13.2	23	11.3	19.8	9.9	45	17.0	37	18.6	28	14.0	22	11.2	18.6	9.3	16.0	8.0	14.0	7.0	45	25	56	28	42	21	34	16.7	28	14.0	24	12.0	21	10.5	50	17.8	39	19.6	29	14.7	24	11.8	19.6	9.8	16.8	8.4	14.7	7.3	50	27	59	29	44	22	35	17.6	29	14.7	25	12.6	22	11.0	55	18.6	41	20	31	15.4	25	12.3	20	10.3	17.6	8.8	15.4	7.7	55	28	61	31	46	23	37	18.4	31	15.4	26	13.2	23	11.5	60	19.4	43	21	32	16.0	26	12.8	21	10.7	18.3	9.2	16.0	8.0	60	29	64	32	48	24	39	19.2	32	16.0	28	13.7	24
TX 10 (50 MESH)					40	20	44	22	33	16.5	26	13.2	22	11.0	19.0	9.4	16.5	8.3	40	30	66	33	50	25	40	19.8	33	16.5	28	14.1	25	12.4	45	21	47	23	35	17.5	28	14.0	23	11.6	20	10.0	17.5	8.7	45	32	70	35	52	26	42	21	35	17.5	30	15.0	26	13.1	50	22	49	25	37	18.4	29	14.7	25	12.2	21	10.5	18.4	9.2	50	33	73	37	55	28	44	22	37	18.4	32	15.7	28	14.0	55	23	51	26	38	19.2	31	15.4	26	12.8	22	11.0	19.2	9.6	55	35	77	38	58	29	46	23	38	19.2	33	16.5	29	14.4	60	24	53	27	40	20	32	16.0	27	13.4	23	11.5	20	10.0	60	36	80	40	60	30	48	24	40	20	34	17.2	30
	TX 12 (50 MESH)				40	24	53	26	40	19.8	32	18.8	26	13.2	23	11.3	19.8	9.8	40	36	79	40	59	30	48	24	40	19.8	34	17.0	30	14.9	45	25	56	28	42	21	34	16.8	28	14.0	24	12.0	21	10.5	45	38	84	42	63	31	50	25	42	21	36	18.0	31	15.7	50	27	59	29	44	22	35	17.6	29	14.7	25	12.6	22	11.0	50	40	88	44	66	33	53	26	44	22	38	18.9	33	16.5	55	28	62	31	46	23	37	18.4	31	15.4	26	13.2	23	11.5	55	42	92	46	69	35	55	28	46	23	40	19.8	35	17.3	60	29	64	32	48	24	39	19.2	32	16.0	28	13.7	24	12.0	60	44	96	48	72	36	58	29	48	24	41	21	36
		TX 18 (50 MESH)			40	36	79	40	59	30	48	24	40	19.8	34	17.0	30	14.9	40	54	119	59	89	45	71	36	59	30	51	26	45	22	45	38	84	42	63	32	50	25	42	21	36	18.0	32	15.7	45	57	126	63	94	47	76	38	63	32	54	27	47	24	50	40	89	44	66	33	53	27	44	22	38	19.0	33	16.6	50	60	133	66	100	50	80	40	66	33	57	28	50	25	55	42	93	46	70	35	56	28	46	23	40	19.9	35	17.4	55	63	139	70	104	52	84	42	70	35	60	30	52	26	60	44	97	48	73	36	58	29	48	24	42	21	36	18.2	60	66	145	73	109	54	87	44	73	36	62	31	54

ABOVE TABULATION IS BASED ON WATER AT TEMPERATURE OF 70° F.

TWO NOZZLES PER ROW



THREE NOZZLES PER ROW



DESCRIPTION:
ROW APPLICATIONS
OF CHEMICAL HERBICIDES
OR FUNGICIDES
USING CONEJET SPRAY TIPS



Spraying Systems Co.

Spray Nozzles and Accessories
P.O. Box 7900 - Wheaton, Ill. 60189-7900

Rev. No.

Data Sheet No.

18402

Ref.

SHEET OF