



TEEJET FLAT SPRAY TIP NO.	LIQUID PRESSURE IN R.S.I.	CAPACITY 1-NOZZLE IN G.P.M.	GALLONS PER 1000 SQ. FT.					
			2 M.P.H.	3 M.P.H.	4 M.P.H.	5 M.P.H.	7.5 M.P.H.	10 M.P.H.
730116	20	.08	.56	.37	.28	.22	.15	.11
	30	.10	.68	.46	.34	.27	.18	.14
	40	.116	.79	.53	.40	.32	.21	.16
	50	.13	.88	.59	.44	.35	.24	.18
	60	.14	.97	.65	.48	.39	.26	.19
730154	20	.11	.74	.49	.37	.30	.20	.15
	30	.13	.91	.61	.45	.36	.24	.18
	40	.154	1.0	.70	.52	.42	.28	.21
	50	.17	1.2	.78	.59	.47	.31	.23
	60	.19	1.3	.86	.64	.51	.34	.26
730231	20	.16	1.1	.74	.56	.45	.30	.22
	30	.20	1.4	.91	.68	.55	.36	.27
	40	.231	1.6	1.0	.79	.63	.42	.31
	50	.26	1.8	1.2	.88	.70	.47	.35
	60	.28	1.9	1.3	.96	.77	.51	.39
730308	20	.22	1.5	.99	.74	.59	.40	.30
	30	.27	1.8	1.2	.91	.73	.48	.36
	40	.308	2.1	1.4	1.0	.84	.56	.42
	50	.34	2.3	1.6	1.2	.94	.63	.47
	60	.38	2.6	1.7	1.3	1.0	.69	.51
730385	20	.27	1.9	1.2	.93	.74	.49	.37
	30	.33	2.3	1.5	1.1	.91	.61	.45
	40	.385	2.6	1.7	1.3	1.0	.70	.52
	50	.43	2.9	2.0	1.5	1.2	.78	.59
	60	.47	3.2	2.1	1.6	1.3	.86	.64
730462	20	.33	2.2	1.5	1.1	.89	.59	.45
	30	.40	2.7	1.8	1.4	1.1	.73	.55
	40	.462	3.1	2.1	1.6	1.3	.84	.63
	50	.52	3.5	2.3	1.8	1.4	.94	.70
	60	.57	3.9	2.6	1.9	1.5	1.0	.77
730616	20	.44	3.0	2.0	1.5	1.2	.80	.59
	30	.53	3.6	2.4	1.8	1.5	.97	.73
	40	.616	4.2	2.8	2.1	1.7	1.1	.84
	50	.69	4.7	3.1	2.3	1.9	1.3	.94
	60	.75	5.1	3.4	2.6	2.1	1.4	1.0
730770	20	.54	3.7	2.5	1.9	1.5	.99	.74
	30	.67	4.5	3.0	2.3	1.8	1.2	.91
	40	.770	5.2	3.5	2.6	2.1	1.4	1.0
	50	.86	5.9	3.9	2.9	2.3	1.6	1.2
	60	.94	6.4	4.3	3.2	2.6	1.7	1.3
730924	20	.65	4.5	3.0	2.2	1.8	1.2	.89
	30	.80	5.5	3.6	2.7	2.2	1.5	1.1
	40	.924	6.3	4.2	3.1	2.5	1.7	1.3
	50	1.03	7.0	4.7	3.5	2.8	1.9	1.4
	60	1.13	7.7	5.1	3.9	3.1	2.1	1.5

TABULATION IS BASED ON SPRAYING WATER AT TEMPERATURE OF 70°F.

DESCRIPTION:

GALLONS PER 1000 SQ. FT.
USING 73 DEG. SERIES
TEEJET SPRAY TIPS
-10 IN. SPACING-



Spraying Systems Co.®

Spray Nozzles and Accessories
P.O. Box 7900 - Wheaton, Il. 60189-7900

Rev. No.

Data Sheet No.

18978

Ref.

SHEET OF