


SPRAY ANGLE AT 40p.s.i.	NOZZLE NO.		"A"	APPROX. EQUIV. ORIFICE DIA.	"E"	MESH OF SCREEN	CAPACITY G.P.M. (Gallons Per Minute)																
	TYPE T	TYPE TT					AND SPRAY ANGLE AT p.s.i. (Lbs. Per Square Inch)																
	FEMALE CONN.	MALE CONN.					5	7	10	15	20	30	40	60	80	100	150	200	300	400			
110°	1/4T 11001	1/4TT 11001	13/64"	.026	.011	100	.03	.04	.05	.06	.07	.08	.09	.10	.11	.12	.14	.16	.19	.22	.27	.32	
	1/4T 110015	1/4TT 110015	13/64"	.031	.015	100	.05	.06	.07	.08	.09	.10	.11	.12	.13	.14	.15	.16	.17	.18	.19	.20	
	1/4T 11002	1/4TT 11002	13/64"	.036	.018	50	.07	.08	.09	.10	.11	.12	.13	.14	.15	.16	.17	.18	.19	.20	.21	.22	
	1/4T 11003	1/4TT 11003	13/64"	.043	.022	50	.11	.12	.13	.14	.15	.16	.17	.18	.19	.20	.21	.22	.23	.24	.25	.26	
	1/4T 11004	1/4TT 11004	13/64"	.052	.026	50	.14	.15	.16	.17	.18	.19	.20	.21	.22	.23	.24	.25	.26	.27	.28	.29	
	1/4T 11006	1/4TT 11006	7/32"	.062	.033	50	.21	.22	.23	.24	.25	.26	.27	.28	.29	.30	.31	.32	.33	.34	.35	.36	.37
1/4T 11008	1/4TT 11008	17/64"	.072	.041	50	.28	.29	.30	.31	.32	.33	.34	.35	.36	.37	.38	.39	.40	.41	.42	.43	.44	
95°	1/4T 9501	1/4TT 9501	13/64"	.026	.012	100	.03	.04	.05	.06	.07	.08	.09	.10	.11	.12	.14	.16	.19	.22	.27	.32	
	1/4T 95015	1/4TT 95015	13/64"	.031	.016	100	.05	.06	.07	.08	.09	.10	.11	.12	.13	.14	.15	.16	.17	.18	.19	.20	
	1/4T 9502	1/4TT 9502	13/64"	.036	.021	50	.07	.08	.09	.10	.11	.12	.13	.14	.15	.16	.17	.18	.19	.20	.21	.22	
	1/4T 9503	1/4TT 9503	13/64"	.043	.025	50	.10	.12	.15	.18	.21	.26	.30	.37	.42	.47	.58	.67	.78	.90	.1.0	1.1	1.2
	1/4T 9504	1/4TT 9504	13/64"	.052	.027	50	.14	.17	.20	.25	.28	.35	.40	.49	.57	.63	.78	.90	1.10	1.26	1.41	1.58	1.75
	1/4T 9506	1/4TT 9506	7/32"	.062	.036	50	.21	.25	.30	.37	.42	.52	.60	.73	.85	.95	1.16	1.34	1.64	1.90	2.20	2.52	2.82
	1/4T 9508	1/4TT 9508	17/64"	.072	.040	50	.28	.33	.40	.49	.56	.69	.80	.98	1.13	1.28	1.55	1.79	2.20	2.52	2.82	3.16	3.50
	1/4T 9510	1/4TT 9510	3/32" 5/64"	.054	*	35	.43	.50	.61	.70	.86	1.0	1.22	1.41	1.58	1.93	2.24	2.74	3.16	3.50	3.84	4.10	4.35
	1/4T 9515	1/4TT 9515	3/32" 3/32"	.066	*	53	.68	.75	.92	1.16	1.30	1.5	1.83	2.12	2.37	2.90	3.35	4.10	4.75	5.40	6.05	6.70	7.35
	1/4T 9520	1/4TT 9520	13/64" 7/64"	.079	*	71	.84	1.0	1.22	1.41	1.74	2.0	2.45	2.83	3.16	3.84	4.47	5.48	6.32	7.16	8.00	8.84	9.68
80°	1/4T 800050	1/4TT 800050	13/64"	.018	.010	200				.030	.035	.043	.050	.06	.07	.08	.10	.11	.14	.16	.19	.22	
	1/4T 800067	1/4TT 800067	13/64"	.021	.012	100			.03	.04	.05	.06	.07	.08	.09	.11	.13	.15	.18	.22	.27	.32	
	1/4T 8001	1/4TT 8001	13/64"	.026	.015	100			.05	.06	.07	.08	.09	.10	.11	.12	.14	.16	.19	.22	.27	.32	
	1/4T 80015	1/4TT 80015	13/64"	.031	.018	100			.08	.09	.11	.14	.18	.21	.24	.29	.34	.41	.48	.55	.64	.73	.82
	1/4T 8002	1/4TT 8002	13/64"	.036	.023	50	.07	.08	.09	.10	.11	.12	.13	.14	.15	.16	.17	.18	.19	.20	.21	.22	.23
	1/4T 8003	1/4TT 8003	13/64"	.043	.028	50	.10	.13	.15	.18	.20	.25	.30	.37	.42	.47	.58	.67	.78	.90	1.0	1.1	1.2
	1/4T 8004	1/4TT 8004	13/64"	.052	.031	50	.14	.17	.20	.25	.28	.35	.40	.49	.57	.63	.78	.90	1.10	1.26	1.41	1.58	1.75
	1/4T 8006	1/4TT 8006	7/32"	.062	.040	50	.21	.25	.30	.37	.42	.52	.60	.73	.85	.95	1.16	1.34	1.64	1.90	2.20	2.52	2.82
	1/4T 8008	1/4TT 8008	17/64"	.072	.044	50	.28	.33	.40	.49	.56	.69	.80	.98	1.13	1.28	1.55	1.79	2.20	2.52	2.82	3.16	3.50
	1/4T 8010	1/4TT 8010	3/32" 5/64"	.050	*	35	.43	.50	.61	.70	.86	1.0	1.22	1.41	1.58	1.93	2.24	2.74	3.16	3.50	3.84	4.10	4.35
1/4T 8015	1/4TT 8015	3/32" 3/32"	.062	*	53	.68	.75	.92	1.16	1.30	1.5	1.83	2.12	2.37	2.90	3.35	4.10	4.75	5.40	6.05	6.70	7.35	
1/4T 8020	1/4TT 8020	13/64" 7/64"	.075	*	71	.84	1.0	1.22	1.41	1.74	2.0	2.45	2.83	3.16	3.84	4.47	5.48	6.32	7.16	8.00	8.84	9.68	
75°	1/4T 730023	1/4TT 730023	13/64"	.012	.007	200				.014	.016	.020	.023	.028	.032	.036	.045	.051	.063	.079	.096	.112	
	1/4T 730039	1/4TT 730039	13/64"	.016	.009	200			.020	.024	.028	.034	.039	.048	.055	.062	.075	.087	.11	.12	.14	.16	
	1/4T 730077	1/4TT 730077	13/64"	.022	.013	100			.032	.039	.047	.055	.067	.077	.09	.11	.12	.15	.17	.21	.24	.28	
	1/4T 730116	1/4TT 730116	13/64"	.028	.016	100	.04	.05	.06	.07	.08	.10	.11	.12	.13	.14	.15	.16	.17	.18	.19	.20	.21
	1/4T 730154	1/4TT 730154	13/64"	.032	.020	100	.05	.06	.08	.09	.11	.13	.15	.19	.22	.24	.29	.34	.41	.48	.55	.64	.73
	1/4T 730231	1/4TT 730231	13/64"	.040	.026	50	.08	.10	.12	.14	.16	.20	.23	.28	.33	.37	.45	.52	.63	.73	.88	.99	1.1
	1/4T 730308	1/4TT 730308	13/64"	.045	.031	50	.11	.13	.15	.19	.22	.27	.30	.38	.44	.49	.60	.69	.84	.97	1.1	1.2	1.4
	1/4T 730385	1/4TT 730385	13/64"	.051	.034	50	.14	.18	.19	.24	.27	.33	.38	.47	.54	.61	.74	.86	1.05	1.22	1.41	1.61	1.81
	1/4T 730462	1/4TT 730462	13/64"	.056	.035	50	.16	.19	.23	.28	.33	.40	.46	.57	.65	.73	.90	1.03	1.26	1.46	1.66	1.86	2.06
	1/4T 730616	1/4TT 730616	13/64"	.065	.046	50	.22	.26	.31	.38	.44	.53	.61	.75	.87	.98	1.20	1.38	1.69	1.95	2.24	2.54	2.84
1/4T 730770	1/4TT 730770	13/64"	.072	.051	50	.27	.32	.38	.47	.54	.67	.77	.94	1.09	1.22	1.49	1.72	2.11	2.44	2.82	3.21	3.60	
1/4T 730924	1/4TT 730924	7/32"	.078	.060	50	.33	.39	.46	.57	.65	.80	.92	1.13	1.30	1.48	1.79	2.06	2.53	2.92	3.31	3.70	4.09	

SPRAY ANGLE AT 40p.s.i.	NOZZLE NO.		"A"	APPROX. EQUIV. ORIFICE DIA.	"E"	MESH OF SCREEN	CAPACITY G.P.M. (Gallons Per Minute)																
	TYPE T	TYPE TT					AND SPRAY ANGLE AT p.s.i. (Lbs. Per Square Inch)																
	FEMALE CONN.	MALE CONN.					5	7	10	15	20	30	40	60	80	100	150	200	300	400			
65°	1/4T 650017	1/4TT 650017	13/64"	.011	.006	200				.012	.015	.017	.021	.024	.027	.033	.038	.047	.054	.064	.074	.084	
	1/4T 650025	1/4TT 650025	13/64"	.013	.007	200				.018	.022	.025	.031	.035	.040	.048	.056	.069	.079	.091	.104	.117	
	1/4T 650033	1/4TT 650033	13/64"	.015	.009	200				.021	.023	.029	.033	.040	.047	.052	.064	.074	.086	.099	.112	.125	
	1/4T 650050	1/4TT 650050	13/64"	.018	.011	200				.030	.035	.040	.050	.060	.070	.08	.10	1.1	1.4	1.6	1.8	2.1	
	1/4T 650067	1/4TT 650067	13/64"	.021	.013	100	.02	.03	.04	.05	.06	.07	.08	.09	.11	.13	.15	.18	.21	.24	.29	.34	.41
	1/4T 6501	1/4TT 6501	13/64"	.026	.017	100	.04	.05	.06	.07	.09	.10	.12	.14	.16	.19	.22	.27	.32	.37	.44	.51	.58
	1/4T 65015	1/4TT 65015	13/64"	.031	.023	100	.06	.07	.09	.11	.13	.15	.18	.21	.24	.29	.34	.41	.48	.55	.64	.73	.82
	1/4T 6502	1/4TT 6502	13/64"	.036	.024	50	.07	.08	.10	.12	.14	.16	.19	.22	.27	.32	.37	.44	.51	.58	.64	.73	.82
	1/4T 6503	1/4TT 6503	13/64"	.043	.027	50	.10	.12	.15	.18	.21	.26	.30	.37	.42	.47	.58	.67	.78	.90	1.0	1.1	1.2
	1/4T 6504	1/4TT 6504	13/64"	.052	.034	50	.14	.17	.20	.25	.28	.35	.40	.49	.57	.63	.78	.90	1.10	1.26	1.41	1.58	1.75
1/4T 6506	1/4TT 6506	7/32"	.062	.044	50	.21	.25	.30	.37	.42	.52	.60	.73	.85	.95	1.16	1.34	1.64	1.90	2.20	2.52	2.82	
1/4T 6508	1/4TT 6508	17/64"	.072	.050	50	.28	.33	.40	.49	.56	.69	.80	.98	1.13	1.28	1.55	1.79	2.20	2.52	2.82	3.16	3.50	
1/4T 6510	1/4TT 6510	3/32" 5/64"	.053	*	35	.43	.50	.61	.70	.86	1.0	1.22	1.41	1.58	1.93	2.24	2.74	3.16	3.50	3.84	4.10	4.35	
1/4T 6515	1/4TT 6515	3/32" 3/32"	.070	*	53	.68	.75	.92	1.16	1.30	1.5	1.83	2.12	2.37	2.90	3.35	4.10	4.75	5.40	6.05	6.70	7.35	
1/4T 6520	1/4TT 6520	13/64" 7/64"	.076	*	71	.84	1.0	1.22	1.41	1.74	2.0	2.45	2.83	3.16	3.84	4.47	5.48	6.32	7.16	8.00	8.84	9.68	



\* STRAINERS ARE NOT FURNISHED WITH ORIFICE TIPS OF THIS CAPACITY.

DESCRIPTION:  
TABULATION OF CAPACITIES  
AND SPRAY ANGLES FOR  
1/4T---- AND 1/4TT----  
TEEJET NOZZLES

**Spraying Systems Co.**  
Spray Nozzles