

TJ60-650066VS TWINJET® FLAT SPRAY TIP			
PRESSURE bar	Dv0.1	Dv0.5	Dv0.9
2	99	149	254
2.5	88	132	219
3	83	123	203
3.5	81	119	193
4	79	117	187
4.5	78	116	183
5	77	115	179
5.5	77	115	177
6	76	115	175
6.5	76	115	174
7	76	114	173

TJ60-6501VS TWINJET® FLAT SPRAY TIP			
PRESSURE bar	Dv0.1	Dv0.5	Dv0.9
2	110	169	320
2.5	100	151	270
3	96	142	247
3.5	93	138	234
4	91	135	226
4.5	89	133	220
5	88	132	216
5.5	88	131	213
6	87	130	210
6.5	86	130	208
7	86	129	207

TJ60-650134VS TWINJET® FLAT SPRAY TIP			
PRESSURE bar	Dv0.1	Dv0.5	Dv0.9
2	119	188	378
2.5	110	171	331
3	105	162	303
3.5	102	156	285
4	100	153	273
4.5	99	150	265
5	97	148	259
5.5	97	147	254
6	96	146	250
6.5	95	145	247
7	95	144	245

TJ60-6502VS TWINJET® FLAT SPRAY TIP			
PRESSURE bar	Dv0.1	Dv0.5	Dv0.9
2	132	217	447
2.5	123	199	406
3	117	189	382
3.5	113	182	367
4	111	178	356
4.5	109	175	348
5	108	173	342
5.5	106	171	338
6	106	170	334
6.5	105	169	331
7	104	168	329

TJ60-6503VS TWINJET® FLAT SPRAY TIP			
PRESSURE bar	Dv0.1	Dv0.5	Dv0.9
2	152	266	531
2.5	141	246	500
3	134	234	481
3.5	130	227	469
4	127	221	460
4.5	124	217	453
5	123	214	448
5.5	121	211	444
6	120	209	440
6.5	119	207	437
7	118	206	435

TJ60-6504VS TWINJET® FLAT SPRAY TIP			
PRESSURE bar	Dv0.1	Dv0.5	Dv0.9
2	166	302	602
2.5	155	281	571
3	148	267	552
3.5	143	258	539
4	139	252	529
4.5	136	247	522
5	134	243	516
5.5	133	239	511
6	131	237	508
6.5	130	235	504
7	129	233	502

TJ60-6506VS TWINJET® FLAT SPRAY TIP			
PRESSURE bar	Dv0.1	Dv0.5	Dv0.9
2	195	353	685
2.5	183	331	653
3	174	314	632
3.5	168	302	618
4	164	292	607
4.5	160	285	599
5	157	279	592
5.5	155	275	587
6	153	271	582
6.5	151	269	578
7	150	267	575

TJ60-6508VS TWINJET® FLAT SPRAY TIP			
PRESSURE bar	Dv0.1	Dv0.5	Dv0.9
2	224	406	774
2.5	210	380	742
3	201	360	720
3.5	194	345	704
4	189	333	692
4.5	184	323	682
5	181	316	675
5.5	178	311	668
6	175	307	663
6.5	173	303	659
7	171	301	655

Data is based on spraying water under laboratory conditions using Aerometrics Phase Doppler Particle Analyzer (PDPA). All values are computed utilizing the procedures for determining spray characteristics as outlined by ASTM (Standard E799)

DESCRIPTION:
TJ60-65 SERIES TWINJET
FLAT SPRAY TIPS DROP SIZE DATA
IN MICROMETERS VERSUS PRESSURE
(METRIC)
CAPACITIES 650066VS THRU
6508VS
SPRAYING WATER AT 21 DEG. C



Spraying Systems Co.®
Spray Nozzles and Accessories
P.O. Box 7900 - Wheaton, IL 60189-7900

Rev. No.	Data Sheet No.
Ref.	37043-10M
	SHEET OF