


Liquid Orifice Number	Air Pressure (psi)	Approx. Air Flow (SCFM)	Liquid Pressure (psi)	Liquid Flow (GPM)	Application Rate in GPA on 20 Inch Nozzle Spacing					Drop Size Category
					4 mph	5 mph	6 mph	8 mph	10 mph	
31	5.0	1.05	10.0	0.057	4.2	3.4	2.8	2.1	1.7	Fine
		0.95	14.5	0.074	5.5	4.4	3.7	2.7	2.2	Medium
		0.85	21.8	0.097	7.2	5.8	4.8	3.6	2.9	Coarse
		0.75	29.0	0.115	8.5	6.8	5.7	4.3	3.4	Coarse
		0.70	36.3	0.130	9.7	7.7	6.4	4.8	3.9	Very Coarse
		0.60	43.5	0.145	10.8	8.6	7.2	5.4	4.3	Very Coarse
	0.55	50.8	0.157	11.7	9.3	7.8	5.8	4.7	Very Coarse	
	0.50	58.0	0.170	12.6	10.1	8.4	6.3	5.0	Very Coarse	
	7.3	1.35	10.0	0.051	3.8	3.0	2.5	1.9	1.5	Very Fine
		1.20	14.5	0.069	5.1	4.1	3.4	2.6	2.0	Very Fine
		1.05	21.8	0.091	6.8	5.4	4.5	3.4	2.7	Fine
		1.00	29.0	0.110	8.2	6.5	5.4	4.1	3.3	Medium
		0.90	36.3	0.126	9.4	7.5	6.2	4.7	3.7	Medium
		0.85	43.5	0.141	10.5	8.4	7.0	5.2	4.2	Coarse
	0.80	50.8	0.153	11.4	9.1	7.6	5.7	4.5	Coarse	
	0.70	58.0	0.166	12.3	9.9	8.2	6.2	4.9	Coarse	
	10.8	1.65	10.0	0.037	2.7	2.2	1.8	1.4	1.1	Very Fine
		1.50	14.5	0.055	4.1	3.3	2.7	2.0	1.6	Very Fine
		1.35	21.8	0.083	6.2	4.9	4.1	3.1	2.5	Very Fine
		1.25	29.0	0.104	7.7	6.2	5.1	3.9	3.1	Very Fine
		1.15	36.3	0.120	8.9	7.1	5.9	4.5	3.6	Fine
		1.10	43.5	0.135	10.0	8.0	6.7	5.0	4.0	Fine
	1.05	50.8	0.148	11.0	8.8	7.3	5.5	4.4	Fine	
	0.95	58.0	0.161	12.0	9.6	8.0	6.0	4.8	Medium	
	14.5	2.05	10.0	0.015	1.1	0.9	0.7	0.6	0.4	Very Fine
		1.85	14.5	0.046	3.4	2.7	2.3	1.7	1.4	Very Fine
		1.65	21.8	0.075	5.6	4.5	3.7	2.8	2.2	Very Fine
		1.5	29.0	0.094	7.0	5.6	4.7	3.5	2.8	Very Fine
		1.4	36.3	0.112	8.3	6.7	5.5	4.2	3.3	Very Fine
		1.35	43.5	0.127	9.4	7.5	6.3	4.7	3.8	Very Fine
	1.25	50.8	0.141	10.5	8.4	7.0	5.2	4.2	Very Fine	
	1.20	58.0	0.155	11.5	9.2	7.7	5.8	4.6	Fine	
	18.1	2.10	14.5	0.033	2.5	2.0	1.6	1.2	1.0	Very Fine
		1.90	21.8	0.064	4.8	3.8	3.2	2.4	1.9	Very Fine
		1.70	29.0	0.087	6.5	5.2	4.3	3.2	2.6	Very Fine
		1.60	36.3	0.106	7.9	6.3	5.2	3.9	3.1	Very Fine
		1.50	43.5	0.122	9.1	7.2	6.0	4.5	3.6	Very Fine
		1.45	50.8	0.136	10.1	8.1	6.7	5.0	4.0	Very Fine
	1.40	58.0	0.149	11.1	8.9	7.4	5.5	4.4	Very Fine	
	21.8	2.15	21.8	0.052	3.9	3.1	2.6	1.9	1.5	Very Fine
		1.75	29.0	0.078	5.8	4.6	3.9	2.9	2.3	Very Fine
		1.70	36.3	0.099	7.4	5.9	4.9	3.7	2.9	Very Fine
1.60		43.5	0.115	8.5	6.8	5.7	4.3	3.4	Very Fine	
1.55		50.8	0.131	9.7	7.8	6.5	4.9	3.9	Very Fine	
1.45	58.0	0.144	10.7	8.6	7.1	5.3	4.3	Very Fine		

Liquid Orifice Number	Air Pressure (psi)	Approx. Air Flow (SCFM)	Liquid Pressure (psi)	Liquid Flow (GPM)	Application Rate in GPA on 20 Inch Nozzle Spacing					Drop Size Category
					4 mph	5 mph	6 mph	8 mph	10 mph	
31	25.4	2.25	21.8	0.039	2.9	2.3	1.9	1.4	1.2	Very Fine
		2.05	29.0	0.067	5.0	4.0	3.3	2.5	2.0	Very Fine
		1.90	36.3	0.091	6.8	5.4	4.5	3.4	2.7	Fine
		1.75	43.5	0.109	8.1	6.5	5.4	4.0	3.2	Fine
		1.70	50.8	0.123	9.1	7.3	6.1	4.6	3.7	Fine
		1.60	58.0	0.138	10.2	8.2	6.8	5.1	4.1	Fine
	29.0	2.50	21.8	0.026	1.9	1.5	1.3	1.0	0.8	Very Fine
		2.25	29.0	0.058	4.3	3.4	2.9	2.2	1.7	Fine
		2.05	36.3	0.081	6.0	4.8	4.0	3.0	2.4	Fine
		1.95	43.5	0.099	7.4	5.9	4.9	3.7	2.9	Fine
		1.85	50.8	0.117	8.7	6.9	5.8	4.3	3.5	Fine
		1.75	58.0	0.132	9.8	7.8	6.5	4.9	3.9	Fine



49880A AIRJET ASSEMBLY

DESCRIPTION:

**49880A
AIRJET® NOZZLE
APPLICATION RATES AND
DROPLET SIZE CATEGORY
INFORMATION**



Spraying Systems Co.®

**Spray Nozzles and Accessories
P.O. Box 7900 - Wheaton, Il. 60189-7900**

Rev. No. 1

Ref.

Data Sheet No.

49880-1

SHEET OF