

A

B

C

D

1

2


3

4

Valve WeatherPack 4 Pos			Sensor 'E' WeatherPack 3 Pos			Sensor 'F' WeatherPack 3 Pos		
Position	Color	Function	Position	Color	Function	Position	Color	Function
A	Red	Valve +V (Bat. SW)	A	Black	Sensor Ground	A	Black	Sensor Ground
B	Green	Valve Close	B	Red	Sensor +V (PTC2b)	B	Red	Sensor +V (PTC2a)
C	White	Valve Open	C	White	Sensor E Input (A/D)	C	White	Sensor F Input (A/D)
D	n/a							

PCM Metripack 30 pos.


Position	Color	Function
A1	Red	CAN (+V) Out
A2	Orange	CAN Hi
A3	Black	CAN Low
B1	Green	CAN Ground
B2	White	CAN Shield
B3	Black	Sensor Ground
C1	n/a	
C2	Black	Sensor Ground
C3	White	Sensor F Input (A/D)
D1	n/a	
D2	n/a	
D3	White	Sensor E Input (A/D)
E1	n/a	
E2	Red	Sensor +V (PTC2b)
E3	Red	Sensor +V (PTC2a)
F1	White	Valve Open
F2	n/a	
F3	n/a	
G1	Green	Valve Close
G2	n/a	
G3	n/a	
H1	n/a	
H2	Black	Bat. Ground Input
H3	n/a	
J1	Red	Valve +V (Bat. SW)
J2	n/a	
J3	n/a	
K1	Red	Bat. +V Input
K2	n/a	
K3	n/a	



CAN 'T' 5 pos.

Position	Color	Function
1	White	CAN Shield
2	Red	CAN (+V) Out
3	Green	CAN Ground
4	Orange	CAN High
5	Black	CAN Low

CAN 'T' Male Side (Pins) Face View



Power WeatherPack 2 Pos

Position	Color	Function
A	Red	Bat. +V Input
B	Black	Bat Ground Input

Note: 1.0 All dimensions are displayed in "Inches" unless otherwise specified.

MATERIAL: N/A		Midwest Technologies Illinois	
FINISH: N/A		TITLE: Cable, PCM, Dual Pressure	
PROJECTION:	SCALE: UNITS: INCH: X METRIC: 1:4	DRAWN BY: Bryan Reiser	
UNLESS OTHERWISE SPECIFIED TOLERANCE:		CHECKED BY: Amy Neuber	
0-1" +/- .1"	10-60" +/- .1"	APPROVED BY: Scott Leuber	
1-5" +/- .25"	60-120" +/- .2"	SHEET No: 1 of 1	
5-10" +/- .5"	120" +/- .3"	DWS No: C-45-06305	
R0 6/26/03 010171 REV. DATE NOC. No.			
Midwest Technologies IL, LLC. Claims proprietary right in the material disclosed hereon. This document is not to be used in any way detrimental to the interest of Midwest Technologies IL, LLC.			