

**AMP SuperSeal Connector
34 Pos. w/ Skts**


Pos.	Color	Function
1	Red	(+12v) V Out Switched
2	Black	ISO CAN Ground
3	White	ISO CAN H
4	Yellow	ISO CAN H
5	Green	ISO CAN L
6	Blue	ISO CAN L
7	Plug	DIAG Ground
8	Plug	DIAG RX
9	Plug	DIAG TX
10	Red	(+12v) V Out Switched
11	Black	TJ CAN Ground
12	Yellow	TJ CAN H
13	White	TJ CAN H
14	Green	TJ CAN L
15	Blue	TJ CAN L
16	Plug	GNSS In RX
17	Plug	GNSS In TX
18	Black	Ground
19	Plug	IGN Sense In
20	Black	Reverse Sense In
21	White	Status Sense In
22	Plug	GNSS Ground
23	Plug	3rd Party GND (not available)
24	Plug	3rd Party RX (not available)
25	Plug	3rd Party TX (not available)
26	Red	(+12v) Volts In
27	Red	Switched (+12) Volts Out
28	Plug	Ground
29	Plug	Ground
30	Plug	Speed Out (GS)
31	Plug	Ground (GS)
32	Plug	Debug GND (not available)
33	Plug	Debug RX (not available)
34	Plug	Debug TX (not available)



Front View

**TeeJet CAN
Deutsch (DTM) 6 Pos**


Pos.	Color	Function
1	Red	(+12v) V Out Switched
2	Black	Ground
3	White	TJ CAN H
4	Green	TJ CAN L
5	Yellow	TJ CAN H
6	Blue	TJ CAN L



Front View

**ISO CAN
9 pos SKT AMP**

Pos.	Color	Function
1	Red	(+12v) V Out Switched
2	Green	ISO CAN L
3	Blue	ISO CAN L
4	White	ISO CAN H
5	Yellow	ISO CAN H
6	n/a	
7	Purple	(+12v) V In
8	n/a	
9	Black	Ground




Front View

**Fuse Holder
WeatherPack 2 Pos.
10 Amp Fuse Blade Type**

**Power
Weather-Pack
2 Pos Shroud**

Pos	Color	Function
A	Red	(+12 volts) In
B	Black	Ground



Front View

MATERIAL:					
FINISH:					
PROJECTION:			SCALE: UNITS: INCH: X METRIC: X		
UNLESS OTHERWISE SPECIFIED TOLERANCE:			DRAWN BY: Nick Calvin		
R2	4/14/22	000106	CHECKED BY: Ray Sherida		
R1	6/22/21	Updated	APPROVED BY: Ray Sherida		
REV.	DATE	NOC. No	SHEET No: 1 of 1		
			DWG No: C-45-10230		