

A

B

C

D

1


2

3

4

**Power Weather-Pack  
2 Pos. Shroud**


Position	Color	Function
A	Red	(+12v)
B	Black	Ground



Female spade terminal  
Blue - 2in (Not Used)  
Female spade terminal  
Green - 1in (Status)  
Female spade terminal  
Red - +V (Detect)

**Lightbar  
Deutsch  
12 Pos w/Skts**

Position	Color	Function
1	n/a	
2	n/a	
3	Black	Ground
4	Orange	(+v) out
5	n/a	
6	n/a	
7	n/a	
8	n/a	
9	White	RS485+
10	Brown	RS485-
11	n/a	
12	n/a	



**Smartpad  
DB-9 Skt**

Pos.	Color	Function
1	Brown	Data Carrier Detect
2	Red	Receive Data
3	Orange	Transmit Data
4	Yellow	Data Terminal Ready
5	Green	Signal Ground
6	Blue	Data Set Ready
7	Purple	Request to Send
8	Gray	Clear to Send
9	White	Ring Indicator

**GPS NMEA Data  
DB-9 Pin**

Pos.	Color	Function
1	Brown	n/a
2	Red	Receive Data
3	Orange	Transmit Data
4	Yellow	n/a
5	Green	Signal Ground
6	Blue	n/a
7	Purple	n/a
8	Gray	n/a
9	White	n/a

Note: 1.0 All dimensions are displayed in "Inches"  
Unless otherwise specified.

MATERIAL:		N/A			
FINISH:		N/A			
PROJECTION:		SCALE:	UNITS:	TITLE: Interface, Smartpad TeeJet	
UNLESS OTHERWISE SPECIFIED TOLERANCE:		1:4	X	DRAWN BY: Bryan Reiser	
R0 12/27/01 010048		0-1" +/- .1"	10-60" +/- 1"	CHECKED BY: Amy Neuber	
REV.	DATE	1-5" +/- .25"	60-120" +/- 2"	APPROVED BY: Bryan Stewart	
		5-10" +/- .5"	120" +/- 3"	SHEET No: 1 of 1	
Midwest Technologies IL, LLC. Claims proprietary right in the material disclosed herein. This document is not to be used in any way detrimental to the interest of Midwest Technologies IL, LLC.					