

AITTJ60-11002 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	235	700	981
20	201	532	890
25	184	444	812
30	173	391	745
35	166	354	687
40	160	327	638
50	153	290	559
60	147	265	501
70	144	248	458
80	141	234	427
90	138	224	403
100	136	215	386

AITTJ60-110025 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	242	700	1032
20	217	562	934
25	201	479	856
30	188	424	791
35	178	385	735
40	170	356	687
50	158	316	607
60	149	289	543
70	142	270	490
80	136	255	445
90	132	244	407
100	128	235	374

AITTJ60-11003 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	361	845	1243
20	284	724	1158
25	242	627	1079
30	216	551	1006
35	198	489	941
40	186	441	882
50	169	371	780
60	158	327	696
70	150	298	627
80	144	281	569
90	140	269	519
100	137	262	477

AITTJ60-11004 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	327	765	1191
20	265	636	1074
25	231	552	975
30	209	494	891
35	193	450	821
40	182	416	761
50	165	366	667
60	154	331	600
70	145	305	552
80	138	285	517
90	133	269	492
100	128	255	475

AITTJ60-11005 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	353	825	1276
20	291	690	1178
25	252	601	1090
30	226	538	1011
35	207	490	940
40	193	452	876
50	172	396	767
60	158	356	680
70	147	356	609
80	140	302	552
90	133	282	506
100	128	266	469

AITTJ60-11006 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	350	806	1190
20	276	677	1088
25	232	589	998
30	204	524	919
35	185	475	851
40	170	436	790
50	150	377	691
60	137	335	616
70	128	303	557
80	121	278	513
90	116	258	478
100	112	242	452


AITTJ60-11008 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	370	1035	1513
20	302	877	1424
25	261	768	1343
30	234	688	1269
35	214	626	1202
40	200	577	1142
50	180	502	1038
60	166	448	952
70	156	406	882
80	149	373	824
90	143	346	777
100	139	324	738

AITTJ60-11010 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	372	1094	1568
20	333	950	1511
25	301	851	1461
30	275	776	1415
35	253	718	1373
40	235	670	1336
50	209	597	1272
60	191	542	1219
70	179	499	1176
80	171	464	1142
90	165	435	1113
100	162	410	1090

AITTJ60-11015 VISIFLO SPRAY TIP			
PRESSURE	Dv0.1	Dv0.5	Dv0.9
15	336	1050	1555
20	302	922	1492
25	277	831	1434
30	258	760	1380
35	243	703	1330
40	230	655	1284
50	210	580	1202
60	194	522	1131
70	182	475	1071
80	172	436	1020
90	163	403	976
100	155	374	938

DATA IS BASED ON SPRAYING WATER UNDER
LABORATORY CONDITIONS USING AN OXFORD LASER
VISISIZER IMAGING ANALYZER (PDIA)

DESCRIPTION:
AIR INDUCTION TURBO TWINJET®
FLAT SPRAY TIPS
DROPSIZE (MICROMETERS)
VS. PRESSURE (PSI)
CAPACITIES
AITTJ60-11002VP THRU AITTJ60-11015VP
SPRAYING WATER AT 70° F.



Spraying Systems Co.®
Spray Nozzles and Accessories
P.O. Box 7900 - Wheaton, IL 60187-7901

REVISION NO.	DATA SHEET		
REFERENCE:	DS37043-26		
6/29/2015	SHEET:	1 OF 1	DWG SIZE: B