

TF-VS2 TURBO FLOODJET WIDE ANGLE FLAT SPRAY TIP			
PRESSURE BAR	Dv0.1	Dv0.5	Dv0.9
1	226	654	1239
1.5	179	480	973
2	158	398	843
2.5	150	370	798
3	144	347	761
3.5	139	328	729
4	135	312	702
5	132	298	678
6	128	285	657
7	123	264	622

TF-VS2.5 TURBO FLOODJET WIDE ANGLE FLAT SPRAY TIP			
PRESSURE BAR	Dv0.1	Dv0.5	Dv0.9
1	283	876	1437
1.5	212	626	1182
2	180	481	1010
2.5	170	433	946
3	161	397	894
3.5	154	369	851
4	148	348	816
5	142	332	787
6	138	320	764
7	130	304	728

TF-VS3 TURBO FLOODJET WIDE ANGLE FLAT SPRAY TIP			
PRESSURE BAR	Dv0.1	Dv0.5	Dv0.9
1	262	816	1408
1.5	197	580	1168
2	170	450	1002
2.5	162	408	939
3	155	378	888
3.5	149	355	844
4	145	338	809
5	141	326	779
6	138	317	754
7	133	305	717

TF-VS4 TURBO FLOODJET WIDE ANGLE FLAT SPRAY TIP			
PRESSURE BAR	Dv0.1	Dv0.5	Dv0.9
1	284	837	1419
1.5	215	627	1210
2	184	521	1097
2.5	174	484	1056
3	166	453	1021
3.5	160	426	991
4	154	403	964
5	149	383	940
6	145	365	919
7	138	334	882

TF-VS5 TURBO FLOODJET WIDE ANGLE FLAT SPRAY TIP			
PRESSURE BAR	Dv0.1	Dv0.5	Dv0.9
1	339	946	1496
1.5	246	735	1344
2	204	595	1218
2.5	190	544	1163
3	179	503	1114
3.5	169	470	1068
4	161	442	1027
5	154	420	990
6	148	403	956
7	138	376	896


TF-VS7.5 TURBO FLOODJET WIDE ANGLE FLAT SPRAY TIP			
PRESSURE BAR	Dv0.1	Dv0.5	Dv0.9
1	297	861	1463
1.5	225	704	1319
2	190	587	1196
2.5	179	539	1141
3	169	498	1091
3.5	161	463	1045
4	154	432	1002
5	148	406	963
6	143	382	926
7	134	345	861

TF-VS10 TURBO FLOODJET WIDE ANGLE FLAT SPRAY TIP			
PRESSURE BAR	Dv0.1	Dv0.5	Dv0.9
1	316	926	1453
1.5	233	738	1294
2	195	603	1170
2.5	182	551	1119
3	172	506	1074
3.5	163	469	1035
4	156	437	1000
5	149	410	969
6	144	387	942
7	134	351	897

Data is based on spraying water under laboratory conditions using an Oxford Laser Visisizer Imaging Analyzer (PDIA).

NOTE: THIS DATA APPLIES ONLY TO THE TURBO FLOODJET® WIDE ANGLE FLAT SPRAY TIPS WITH THE MATERIAL CODES "VS" (STAINLESS STEEL WITH VISIFLO® COLOR CODING) AND "VP" (POLYMER WITH VISIFLO® COLOR-CODING)

DESCRIPTION:
TURBO FLOODJET WIDE ANGLE FLAT SPRAY TIPS WITH TAPERED EDGE PATTERN. DROP SIZE DATA IN MICRONS VERSUS PRESSURE CAPACITIES TF-VS2 THRU TF-VS10 SPRAYING WATER AT 21 DEG. C.



Spraying Systems Co.®

Spray Nozzles and Accessories
P.O. Box 7900 - Wheaton, IL 60187-7901

Rev. No. 2

Ref. 3/30/2010

Data Sheet No.

37043-3M

SHEET OF