


Liquid Orifice Number	Air Pressure (bar)	Approx. Air Flow (l/s)	Liquid Pressure (bar)	Liquid Flow (l/min)	Application Rate in l/ha on 50 cm Nozzle Spacing					Drop Size Category
					6 km/h	8 km/h	10 km/h	12 km/h	14 km/h	
100	0.50	0.04	0.69	1.85	370	278	222	185	159	--
	0.74	0.48	0.69	0.77	154	116	92.4	77.0	66.0	--
		0.06	1.00	2.17	434	326	260	217	186	--
	1.00	0.91	0.69	0.35	70.0	52.5	42.0	35.0	30.0	--
		0.44	1.00	1.07	214	161	128	107	91.7	--
		0.00	1.50	2.97	594	446	356	297	255	--
	1.25	0.92	1.00	0.52	104	78.0	62.4	52.0	44.6	--
		0.18	1.50	2.14	428	321	257	214	183	--
		0.00	2.00	3.62	724	543	434	362	310	--
	1.50	1.25	1.00	0.32	64.0	48.0	38.4	32.0	27.4	--
		0.59	1.50	1.23	246	185	148	123	105	--
		0.10	2.00	2.93	586	440	352	293	251	--
		0.00	2.50	4.14	828	621	497	414	355	--
	1.75	1.03	1.50	0.70	140	105	84.0	70.0	60.0	--
		0.33	2.00	2.15	430	323	258	215	184	--
		0.07	2.50	3.59	718	539	431	359	308	--
		0.00	3.00	4.64	928	696	557	464	398	--
	2.00	1.40	1.50	0.45	90.0	67.5	54.0	45.0	38.6	--
		0.71	2.00	1.39	278	209	167	139	119	--
		0.19	2.50	2.97	594	446	356	297	255	--
0.06		3.00	4.13	826	620	496	413	354	--	
0.00		3.50	5.14	1028	771	617	514	441	--	



49880A AIRJET ASSEMBLY

DESCRIPTION:

49880A
AIRJET® NOZZLE
APPLICATION RATES AND
DROPLET SIZE CATEGORY
INFORMATION FOR
#100 ORIFICE
(METRIC)



Spraying Systems Co.®

Spray Nozzles and Accessories
P.O. Box 7900 - Wheaton, Il. 60189-7900

Rev. No.

Ref.

DATA SHEET

49880M-6

SHEET OF